

LATITUDE

# 5340/5440/5540

Work anywhere on our most scalable<sup>1</sup> and sustainable Latitude.

World's smallest<sup>14</sup> and most secure<sup>14</sup> mainstream business laptop offering scalable performance options, enterprise-level security and the world's most innovative use of sustainable materials<sup>14</sup>.

Ideal for those in specialized and complex fields who aim to produce results and strive for efficiency. They need the highest security and scalable performance offerings for desk productivity with the flexibility to work remotely.



• • •

#### The world's smallest commercial mainstream PC<sup>14</sup>

Small and versatile with even more features that you expect from our most scalable Latitude.

• • •

#### Intelligent privacy features:

**Onlooker Detection** – alerts you of onlookers and protects data on screen.

• • •

#### Look-away Detect

– knows when you're not looking at screen & dims for privacy and battery savings.

• • •

#### More scalable performance options

Latest Intel vPro with 13<sup>th</sup> Gen U and P series processors. Offering a vast array of memory options with LPDDR5 (13"), optional DDR5 on 14"/15", and discrete graphic card options (14"/15").

• • •

#### USB Type C & Thunderbolt 4

Dual USB Type C with Thunderbolt 4 ports are standard, HDMI 2.0, RJ45 (14"/15") and more.

• • •

#### Premium click-pad

Upgraded click-pad with an improved feel for better productivity.

• • •

#### Enhanced audio

Experience improved audio quality for optimal collaboration.

• • •

#### Wi-Fi 6E<sup>17</sup> and 5G available on all sizes.

Stay connected at your desk or on-the-go.

• • •

#### Optimal Versatility

13" available as laptop or 2-in-1.

• **ExpressSign-in** Wake your system when you approach and lock it when you step away.

• **Intelligent Audio with neural noise cancellation**  
• Collaborate confidently with AI-based background noise elimination.

• **Displays for every user**  
• Improved entry-level screen and camera to FHD, and choose from ComfortView Plus/Low Blue Light options. Maximize your productivity with battery life saving panels and experience Gorilla Glass screen on 13" 2-in-1.

• • •

#### Superior Thermals

Improved temperature and acoustic performance across the series<sup>14</sup>, plus Dual Opposite Outlet fans on 14"/15".

• • •

Utilize 2 or more networks at once with **ExpressConnect**, world's 1st simultaneous multi-network connection for faster data and video downloads.

• • •

#### Outstanding run-time plus charge faster with ExpressCharge

Multiple battery options up to 54WH and next generation battery life saving panels.

• • •


#### Our most sustainable Latitude Series

Latitude 5000 has increased its use of recycled and renewable plastics by 64% (by weight)<sup>14</sup>, with an expansion of Bio-based/PCR content into B/C/D covers, speaker housing, palm-rest and inner frame.

• • •

#### Most security options of any mainstream business laptop<sup>14</sup>

Featuring options such as contactless smart card, TPM, Control Vault 3, fingerprint reader, wedge lock slot, privacy shutter, Windows Hello/IR camera and intelligent privacy.



Uses 100% recycled and renewable packaging<sup>18</sup>, including more sustainable multipack packaging.



See important information on last page

# 5340/5440/5540

## Dell Optimizer

We make it intelligent. You make it yours.

In a work-from-anywhere world, powering the world's most intelligent business PCs<sup>15</sup> is not enough, Dell Optimizer is extending personalized intelligence to the rest of the Dell ecosystem.

Dell Optimizer lets you accomplish anything with built-in intelligence that learns and adapts to the way you work.



Elevate everyday work with personalized performance extending from your Latitude to the devices within your workspace.



### An intelligent ecosystem

Enjoy easy pairing and management of your Dell monitors and accessories with the **integration of Dell Display Manager and Dell Peripheral Manager**.



### Unmatched connectivity

**ExpressConnect** provides the world's first simultaneous multinet network connection<sup>16</sup> that joins the best network available.



### Intelligent privacy anywhere

This technology lets you texturize your screen when an intruder is detected and dims your PC when you look away. It also wakes your PC when your approach and locks it when you walk away.



### Up level audio

**Intelligent Audio** delivers sound and mic enhancements reducing background noise using neural noise cancellation and voice isolation technology.



### Extended power

**ExpressCharge** analyzes your power usage habits to improve PC battery utilization and extends run times by charging your system faster when you need a boost in power.



### Improved app performance

**ExpressResponse** analyzes how you use your preferred apps to boost performance.

With Dell Optimizer, optimization and data collection follow a stringent process to ensure your privacy and security.

[Click here to learn more about Dell Optimizer.](#)

## 5340/5440/5540

FEATURE	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION
<b>MODEL NUMBER<sup>1</sup></b>	Latitude 5340 (Laptop or 2-in-1)	Latitude 5440 (Laptop)	Latitude 5540 (Laptop)
<b>PROCESSOR OPTIONS<sup>1</sup></b>	13 <sup>th</sup> Gen Intel® Core™ processors up to i7 U15 vPro®	13 <sup>th</sup> Gen Intel® Core™ processors up to i7 U15 vPro® 13 <sup>th</sup> Gen Intel® Core™ processors up to i7 P28 vPro® 12 <sup>th</sup> Gen Intel® Core™ processors up to i7 U15 vPro® (n-1)	13 <sup>th</sup> Gen Intel® Core™ processors up to i7 U15 vPro® 13 <sup>th</sup> Gen Intel® Core™ processors up to i7 P28 vPro®
<b>OPERATING SYSTEM<sup>1</sup></b>	Microsoft® Windows 10 Pro 64-bit (11 License) Microsoft® Windows 11 Home 64-bit Microsoft® Windows 11 Pro 64-bit Ubuntu® 20.04 LTS, 64-bit (Laptop only)	Microsoft® Windows 10 Pro 64-bit (11 License) Microsoft® Windows 11 Home 64-bit Microsoft® Windows 11 Pro 64-bit Ubuntu® 20.04 LTS, 64-bit	Microsoft® Windows 10 Pro 64-bit (11 License) Microsoft® Windows 11 Home 64-bit Microsoft® Windows 11 Pro 64-bit Ubuntu® 20.04 LTS, 64-bit
<b>MEMORY OPTIONS<sup>1,2,3,2</sup></b>	Up to 32GB LPDDR5 (on board) 4800 MT/s	Up to 64GB DDR4 (socketed) 3200 MT/s - paired w/ U15 CPU Up to 64GB DDR5 (socketed) 4800 MT/s - paired w/ P28 CPU	Up to 64GB DDR4 (socketed) 3200 MT/s - paired w/ U15 CPU Up to 64GB DDR5 (socketed) 4800 MT/s - paired w/ P28 CPU
<b>CHIPSET<sup>1</sup></b>	Integrated with the processor	Integrated with the processor	Integrated with the processor
<b>INTEL RESPONSIVENESS TECHNOLOGIES<sup>1,5</sup></b>	Intel® Rapid Storage Technology	Intel® Rapid Storage Technology	Intel® Rapid Storage Technology
<b>GRAPHICS<sup>1,2</sup></b>	Intel® Iris® Xe Graphics with Intel® Core™ i5/i7 processors Intel UHD Graphics with Intel® Core™ i3 processor	Intel® Iris® Xe Graphics with Intel® Core™ i5/i7 processors and dual-channel memory configuration Intel UHD Graphics with Intel® Core™ i3 processor or single channel memory Optional NVIDIA® GeForce® MX550 (2 GB GDDR6 dedicated)	Intel® Iris® Xe Graphics with Intel® Core™ i5/i7 processors and dual-channel memory configuration Intel UHD Graphics with Intel® Core™ i3 processor or single channel memory Optional NVIDIA® GeForce® MX550 (2 GB GDDR6 dedicated)
<b>DISPLAY<sup>1</sup></b>	<b>2-in-1</b> 13.3" FHD (1920 x 1080) Anti Reflection/Anti Smudge, 16x9, 300 nits, Gorilla Glass 6 DXC, Active Pen Support, IPS, 72% NTSC  <b>Laptop</b> 13.3" FHD (1920 x 1080) Anti Glare, 16x9, Non-touch, IPS, 250 nits, 45% NTSC 13.3" FHD (1920 x 1080) Anti Glare, 16x9, Touch, IPS, 300 nits, 72% NTSC 13.3" FHD (1920x1080) Anti-Glare, 16x9, Non-touch, IPS, Super Low Power, ComfortView Plus Low Blue Light, 400nits, sRGB 100%	<b>Laptop</b> 14" FHD (1920 x 1080) Anti Glare, 16x9, Non-touch, IPS, 250 nits, 45% NTSC 14.0" FHD (1920x1080) Anti-Glare, 16x9, Non-touch, IPS, Super Low Power, ComfortView Plus Low Blue Light, 400nits, sRGB 100% 14" FHD (1920 x 1080) Anti Glare, 16x9, Touch, IPS, 300 nits, 72%, NTSC	<b>Laptop</b> 15.6" FHD (1920x1080) Anti-Glare, 16x9, Non-touch, IPS, 250nits, 45% NTSC 15.6" FHD (1920x1080) Anti-Glare, 16x9, Non-touch, IPS, Super Low Power, ComfortView Plus Low Blue Light, 400nits, sRGB 100% 15.6" FHD (1920x1080) Anti-Glare, 16x9, Touch, IPS, 250nits, 45% NTSC
<b>STORAGE OPTIONS<sup>1, 3, 12</sup></b>	Up to 1 TB, M.2 2230, PCIe, SSD, Class 35 2 TB, M.2 2230, PCIe NVMe, SSD, Class 25 256 GB, M.2 2230, PCIe NVMe, SED, Class 35	Up to 1 TB, M.2 2230, PCIe, SSD, Class 35 2 TB, M.2 2230, PCIe NVMe, SSD, Class 25 256 GB, M.2 2230, PCIe NVMe, SED, Class 35	Up to 1 TB, M.2 2230, PCIe, SSD, Class 35 2 TB, M.2 2230, PCIe NVMe, SSD, Class 25 256 GB, M.2 2230, PCIe NVMe, SED, Class 35 Up to 1 TB, M.2 2280, PCIe NVMe, Class 40
<b>SECURITY<sup>1</sup></b>	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button  <b>Optional Security Hardware Authentication Bundles</b> 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 4: Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 5: Touch Fingerprint Reader (in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification  Optional Face IR camera (Windows Hello compliant) with ExpressSign-in (Camera Sensing) Optional Intelligent Privacy (onlooker detection with screen texturizing and adaptive dimming) Camera Shutter  Dell Client Command Suite Factory Installed Dell Command Update Dell Performance Netskope™ Cloud Access Security Broker (CASB) Netskope™ Secure Web Gateway Netskope™ Zero Trust Private Access Vmware® Carbon Black Endpoint Standard Vmware® Carbon Black Endpoint Standard +	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button  <b>Optional Security Hardware Authentication Bundles</b> 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 4: Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 5: Touch Fingerprint Reader (in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification  Optional Face IR camera (Windows Hello compliant) with ExpressSign-in (Camera Sensing) Optional Intelligent Privacy (onlooker detection with screen texturizing and adaptive dimming) Camera Shutter  Dell Client Command Suite Factory Installed Dell Command Update Dell Performance Netskope™ Cloud Access Security Broker (CASB) Netskope™ Secure Web Gateway Netskope™ Zero Trust Private Access Vmware® Carbon Black Endpoint Standard Vmware® Carbon Black Endpoint Standard +	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button  <b>Optional Security Hardware Authentication Bundles</b> 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 4: Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 5: Touch Fingerprint Reader (in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 6: FIPS Fingerprint Reader (on Palmrest) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification  Optional Face IR camera (Windows Hello compliant) with ExpressSign-in (Camera Sensing) Optional Intelligent Privacy (onlooker detection with screen texturizing and adaptive dimming) Camera Shutter  Dell Client Command Suite Factory Installed Dell Command Update Dell Performance Netskope™ Cloud Access Security Broker (CASB) Netskope™ Secure Web Gateway Netskope™ Zero Trust Private Access Vmware® Carbon Black Endpoint Standard Vmware® Carbon Black Endpoint Standard +

See important information on last page

## 5340/5440/5540

## FEATURE TECHNICAL SPECIFICATION

MODEL NUMBER<sup>1</sup> Latitude 5340 (laptop or 2-in-1)DIMENSIONS & WEIGHT<sup>1,3</sup>

Width: 12.04" / 305.7 mm  
 Height: 0.66" / 16.79 mm  
 Depth: 8.17" / 207.5 mm  
 Screen to Body: 79.8% (STB1)  
 Laptop Starting Weight: 2.71 lbs / 1.23 kg  
 2-in-1 Starting Weight: 2.97 lbs / 1.35 kg

REGULATORY AND ENVIRONMENTAL COMPLIANCE<sup>1</sup>

Regulatory Model Number: Laptop P181G; 2-in-1 P182G  
 Regulatory Type Number: Laptop P181G001; 2-in-1 P182G001  
 ENERGY STAR compliant configurations available  
 EPEAT Gold Registered. For specific country participation and rating, please see [www.epeat.net](http://www.epeat.net)  
 TCO compliant configurations available  
 Trade Agreements Acts (TAA) configurations available  
 Halogen-Free / Arsenic-Free  
 BFR / PVC free<sup>9</sup>

INPUT<sup>1</sup>

Optional 10-Finger Touch Display  
 Microsoft® Precision Clickpad  
 Spill Resistant Non-Backlit Keyboard  
 Spill Resistant Backlit Keyboard  
 Dell Premier Rechargeable Active Pen - PN7522W (optional, sold separately, 2-in-1 only)  
 Dell Active Pen - PN5122W (optional, sold separately, 2-in-1 only)

SENSORS<sup>1</sup>

All: Hall Effect Sensor, Sensor Hub.  
 Gyroscope + Accelerometer on Laptops with Proximity Camera and on all 2-in-1s; Adaptive Thermal Performance (when Gyroscope/Accelerometer present).  
 Added with Proximity Camera: Ambient Light Sensor, Windows Auto Brightness, IR User Proximity Detection.  
 Added with 2-in-1: Digital Compass (Magnetometer), Screen Rotation support, Proximity for SAR compliance (with WWAN module) Near Field Proximity Sensor.

SYSTEMS MANAGEMENT<sup>1</sup>

Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available ([dell.com/command](http://dell.com/command)), Factory Installed Dell Client Command | Update, Dell Command | Power Manager | Dell Optimizer

WARRANTY AND SERVICE<sup>1</sup>

Limited Hardware Warranty<sup>4</sup>, Standard 3 year Mail-in Service after Remote Diagnosis<sup>11</sup>, optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available<sup>12</sup>

PERIPHERAL ECOSYSTEM<sup>1</sup>

Wide range of accessories designed and tested for the Latitude 5x40 enable productivity when working remote, on the go or in the office.

## SUSTAINABILITY

Panel Lid Cover: 71% recycled/bio-based material used in the lid cover (20% recycled carbon fiber, 30% PCR, 21% bio-based)  
 Panel Antenna Cover: 30% PCR plastics  
 Panel Bezel: 50% PCR plastics (clamshell formfactor only)  
 Palm-Rest, Inner Frame, Battery Housing: 50% PCR plastics  
 Battery Filler: 35% PCR plastics  
 Speaker Enclosure: 35% PCR plastics  
 Fan Housing Enclosure: 28% Ocean-Bound Plastic  
 Bottom Door: 20% recycled carbon fiber, 30% PCR, 21% bio-based  
 Rubber feet: 42% bio-based material  
 Packaging made from 100% recycled or renewable materials  
 60W Type-C Blackchin Adapter, 65W Type-C Pecos Rugged Adapter: 50% PCR resin  
 100W Type-C adapter: 90% recycled plastics (PCR resin) in AC adapter exterior; 50% recycled copper wire for DC adapter cable

## TECHNICAL SPECIFICATION\*

Latitude 5440 (laptop)

Width: 12.65" / 321.4 mm  
 Height: 0.75" / 19.1 mm  
 Depth: 8.35" / 212 mm  
 Screen to Body: 82.9% (STB1)  
 Starting Weight: 3.06 lbs / 1.39 kg

Regulatory Model Number: P165G  
 Regulatory Type Numbers (RTNs):  
 P165G001: RPL UMA U15 + N-1 ADL UMA + RPL UMA U15 2nd PCB  
 P165G002(RTN) - RPL UMA P28  
 P165G003(RTN) - RPL DSC P28  
 ENERGY STAR compliant configurations available  
 EPEAT Gold Registered. For specific country participation and rating, please see [www.epeat.net](http://www.epeat.net)  
 TCO compliant configurations available  
 Trade Agreements Acts (TAA) configurations available  
 Halogen-Free / Arsenic-Free  
 BFR / PVC free<sup>9</sup>

Optional 10-Finger Touch Display  
 Microsoft® Precision Clickpad  
 Spill Resistant Non-Backlit Keyboard  
 Spill Resistant Backlit Keyboard

All: Hall Effect Sensor, Sensor Hub.  
 Added with Proximity Camera: Gyroscope + Accelerometer, Ambient Light Sensor, Windows Auto Brightness, IR User Proximity Detection.  
 Adaptive Thermal Performance (when Gyroscope/Accelerometer present).

Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available ([dell.com/command](http://dell.com/command)), Factory Installed Dell Client Command | Update, Dell Command | Power Manager | Dell Optimizer

Limited Hardware Warranty<sup>4</sup>, Standard 3 year Mail-in Service after Remote Diagnosis<sup>11</sup>, optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available<sup>12</sup>

Wide range of accessories designed and tested for the Latitude 5x40 enable productivity when working remote, on the go or in the office.

Panel Lid Cover: 71% recycled/bio-based material used in the lid cover (20% recycled carbon fiber, 30% PCR, 21% bio-based)  
 Panel Antenna Cover: 30% PCR plastics  
 Panel Bezel: 50% PCR plastics  
 Palm-Rest, Inner Frame, Battery Housing: 50% PCR plastics  
 Battery Filler: 35% PCR plastics  
 Speaker Enclosure: 35% PCR plastics  
 Fan Housing Enclosure: 28% Ocean-Bound Plastic  
 Bottom Door: 20% recycled carbon fiber, 30% PCR, 21% bio-based  
 Rubber feet: 42% bio-based material  
 Packaging made from 100% recycled or renewable materials  
 60W Type-C Blackchin Adapter, 65W Type-C Pecos Rugged Adapter: 50% PCR resin  
 100W Type-C adapter: 90% recycled plastics (PCR resin) in AC adapter exterior; 50% recycled copper wire for DC adapter cable

## TECHNICAL SPECIFICATION

Latitude 5540 (laptop)

Width: 14.1" / 357.8 mm  
 Height: 0.82" / 20.8 mm  
 Depth: 9.19" / 233.3 mm  
 Screen to Body: 83.1% (STB1)  
 Starting weight: 3.56 lbs / 1.613 kg

Regulatory Model Number: P127F  
 Regulatory Type Number: P127F001  
 ENERGY STAR compliant configurations available  
 EPEAT Gold Registered. For specific country participation and rating, please see [www.epeat.net](http://www.epeat.net)  
 TCO compliant configurations available  
 Trade Agreements Acts (TAA) configurations available  
 Halogen-Free / Arsenic-Free  
 BFR / PVC free<sup>9</sup>

Optional 10-Finger Touch Display  
 Microsoft® Precision Clickpad  
 Spill Resistant Non-Backlit Keyboard  
 Spill Resistant Backlit Keyboard

All: Hall Effect Sensor, Sensor Hub.  
 Added with Proximity Camera: Gyroscope + Accelerometer, Ambient Light Sensor, Windows Auto Brightness, IR User Proximity Detection.  
 Adaptive Thermal Performance (when Gyroscope/Accelerometer present).

Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available ([dell.com/command](http://dell.com/command)), Factory Installed Dell Client Command | Update, Dell Command | Power Manager | Dell Optimizer

Limited Hardware Warranty<sup>4</sup>, Standard 3 year Mail-in Service after Remote Diagnosis<sup>11</sup>, optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available<sup>12</sup>

Wide range of accessories designed and tested for the Latitude 5x40 enable productivity when working remote, on the go or in the office.

Panel Lid Cover: 71% recycled/bio-based material used in the lid cover (20% recycled carbon fiber, 30% PCR, 21% bio-based)  
 Panel Antenna Cover: 30% PCR plastics  
 Panel Bezel: 50% PCR plastics  
 Palm-Rest, Inner Frame, Battery Housing: 50% PCR plastics  
 Battery Filler: 35% PCR plastics  
 Speaker Enclosure: 35% PCR plastics  
 Fan Housing Enclosure: 28% Ocean-Bound Plastic  
 Bottom Door: 20% recycled carbon fiber, 30% PCR, 21% bio-based  
 Rubber feet: 42% bio-based material  
 Packaging made from 100% recycled or renewable materials  
 60W Type-C Blackchin Adapter, 65W Type-C Pecos Rugged Adapter: 50% PCR resin  
 100W Type-C adapter: 90% recycled plastics (PCR resin) in AC adapter exterior; 50% recycled copper wire for DC adapter cable